

S250 RTU – J2101

<u>Revision</u>	<u>Change</u>	<u>Customer Release Note</u>
1.13	CN1414	Use new keypad membrane label Rev E. and M5 flat washer nearest to RTU on earth stud replaced with shakeproof washer.
1.12	CN1347	No change to product parts list corrections.
1.11	CN1304	The fixing screws were listed as SENS this should read SEMS. This does not affect the product as the build does not change. Also correctly label all section headings
1.10	CN1225	Manufacturing Information added for S250 RTU with internal GSM. Also now two separate gearplates, one for GSM and PSTN or RS232/485.
1.09	CN1215	RS232 when fitted is now secured with double sided tape, as opposed to clip. This gives a better fit.
1.08	CN1205	Production change for efficiency. Add yellow sticker to indicate safety test has been carried out.
1.07	CN1199	New versions of RTU with High speed modem plus version of RTU with new PSU. Also new part numbers for Gearplate and Case and charger cable now fixed without cable tie.
1.06	CN1160	Mains IEC connector changed for leaded version to help assembly. U clip required for securing RS232/485 unit. Cables R2101 and C2101 now bought in ready made.
1.05	CN1144	Add additional build options to manufacturing information.
1.04	CN1134	Assembly documentation revised to ease production. Build options for future RS234/485 COMA option specified.
1.03	CN1128	Mechanical technique improvements documented to assist production.
1.02	CN1121	Introduce expansion cradle and other mechanical enhancements.
1.01	CN1109	Production related improvements to manufacturing documentation.
1.00	-----	Product released to production.